

**SANJAY GANDHI MEMORIAL HOSPITAL
GOVERNMENT OF NCT OF DELHI
S-BLOCK MANGOL PURI DELHI - 110083
(CARETAKING BRANCH)**

<http://health.delhigovt.nic.in>

1438 - 1440

mssgmh@rediffmail.com

No. F. 5/39/SGMH/CT Branch/BMW-Report/2018/

Dated: 03/02/2025

To

- ✓ 1. The Member Secretary
Delhi Pollution Control Committee,
4th floor, ISBT Building,
Kashmere Gate,
Delhi-110006.
2. Dr. R. Aggarwal, Addl. Director (BMW Management),
Dte. Of Health Services, Swasthya Sewa Nideshalaya Bhawan
F-17, Karkardooma, Delhi-10032.
3. District Program Officer (BMW Mgt.)
North-West District.

Sub: - Annual Report of Bio-Medical Waste.

Sir,

Please find enclosed annual report on Bio-Medical Waste Management in respect of this hospital for period Jan-2024 to Dec-2024 in Form-IV.

This is for your kind information.

Enclosed: As mentioned above.

Trishla
(DR. TRISHLA)
NODAL OFFICER (BMW)

Form - IV (See rule 13)

ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sr. No.	Particulars	
1	Particulars of the Occupier :	
	(i) Name of the authorised person (occupier or operator of facility) :	Medical Superintendent
	(ii) Name of HCF or CBMWTF :	
	(iii) Address for Correspondence :	SGM Hospital GNCT of Delhi S-Block Mangol Puri Delhi-110083.
	(iv) Address of Facility	SGM Hospital GNCT of Delhi S-Block Mangol Puri Delhi-110083.
	(v) Tel. No, Fax. No :	011-20873051
	(vi) E-mail ID :	Ms-sgmh@delhi.gov.in, mssgmh@rediffmail.com
	(vii) URL of Website	https://sgmh.delhi.gov.in
	(viii) GPS coordinates of HCF or CBMWTF	
	(ix) Ownership of HCF or CBMWTF :	(State Government or Private or Semi-Govt. or any other)
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules :	Authorisation No.: ... DPCC/(11)(5)(01)/2024/BMW/NST/AUTH/13044192N Dated 23.10.2024, Valid up to 06/04/2027 (Annexure A)
	(xi). Status of Consents under Water Act and Air Act :	Valid up to:10/07/2028
2	Type of Health Care Facility :	
	(i) Bedded Hospital :	No. of Beds: 300..
	(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other) :	NA
	(iii) License number and its date of expiry	Govt. Hospital
3.	Details of CBMWTF :	MS. BIOTIC WASTE SOLUTION PVT. LTD.
	(i) Number healthcare facilities covered by CBMWTF :	
	(ii) No of beds covered by CBMWTF :	
	(iii) Installed treatment and disposal capacity of CBMWTF	: _____ Kg per day
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	_____ Kg/day
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category : List enclosed Annexure B
		Red Category : List enclosed Annexure B
		White: List enclosed Annexure B

		Blue Category : List enclosed Annexure B			
		General Solid waste:			
5	Details of the Storage, treatment, transportation, processing and Disposal Facility				
	(i) Details of the on-site storage facility	Size :120'x 246'			
		Capacity :03 rooms			
		Provision of on-site storage : : (cold storage or any other provision) NA			
	(ii) Details of the treatment or disposal facilities :	Type of treatment equipment	No of units	Capacity Kg/ day	Quantity treated or disposed in kg per annum
		Incinerators			
		Plasma Pyrolysis			
		Autoclaves	01	350 litres	5000Kg
		Microwave			
		Hydroclave			
		Shredder			
		Needle tip cutter or destroyer			
		Sharps encapsulation or concrete pit			
		Deep burial pits			
		Chemical disinfection			
		Any other treatment equipment:			
	(iii) Quantity of recyclable wastes sold to authorized recyclers after treatment in kg per annum. :	Red Category (like plastic, glass etc.) NA			
	(iv) No of vehicles used for collection and transportation of biomedical waste :	Red Trolley 02 Yellow Trolley 02			
	(v) Details of Incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	Quantity generated Where disposed Incineration Ash ETP Sludge STP sludge (Annexure C)			
	(vi) Name of the Common BioMedical Waste Treatment Facility Operator through which wastes are disposed of :	Ms. Biotic Waste Solutions Pvt Ltd			
	(vii) List of member HCF not handed over bio-medical waste.	NA			
6	Do you have bio-medical waste management committee? If yes,	Yes Copy enclosed (Annexure D)			

	attach minutes of the meetings held during the reporting period	Minutes of meeting (Annexure E)
7	Details trainings conducted on BMW (i) Number of trainings conducted on BMW Management. (ii) number of personnel trained	Copy enclosed (Annexure F)
	(iii) number of personnel trained at the time of induction	Copy enclosed (Annexure F)
	(iv) number of personnel not undergone any training so far	NIL
	(v) whether standard manual for training is available?	Yes
	(vi) any other information	
8	Details of the accident occurred during the year	
	(i) Number of Accidents occurred	NIL
	(ii) Number of the persons affected	NIL
	(iii) Remedial Action taken (Please attach details if any)	NIL
	(iv) Any Fatality occurred, details.	NIL
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not meet the standards?	NA
	Details of Continuous online emission monitoring systems installed	
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	Copy enclosed (Annexure G)
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	Yes
12	Any other relevant information	

Certified that the above report is for the period from : January 2024 to December 2024

Teishla
30/1/25

M.O. I/C
Bio-Medical Waste Management
SGMH, Mangol Puri, Delhi-110083

S. K. Kaakran 11/2/25
Name and Signature of the Head of the Institution
Date:
Place:  **Dr. S. K. KAAKRAN**
Medical Superintendent
Sanjay Gandhi Memorial Hospital
Govt. of NCT of Delhi
Mangol Puri, Delhi-110083



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building
Kashmere Gate, Delhi 110006
(Visit us at <https://www.dpccocnms.nlc.in>)



LIFE
Lifestyle for
Environment

(AUTHORIZATION UNDER BIO MEDICAL WASTE MANAGEMENT RULES, 2016)

File number of authorization : DPCC/(11)(5)(01)/2024/BMW/NST/AUTH/13044192N

Application No: 7647420

Date: 23/10/2024

1. M/s SANJAY GANDHI MEMORIAL HOSPITAL an occupier of the facility located at S-Block, Mangolpuri 110083 is hereby granted this authorization for Generation, Segregation, Collection, Storage, Transportation, of Biomedical Waste at the premises and for Transportation, Treatment and Disposal of Bio-Medical Waste through Common Bio-Medical Waste Treatment Facility (CBMWTF) authorized by Delhi Pollution Control Committee.
2. Number of beds of HCF: 300
3. Quantity of Biomedical waste handled: 163 (Kg/day)
4. This authorization shall be in force for a period of Five Years and valid up to 06/04/2027.
5. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

Meghraj Singh Rawat
Digitally signed by Meghraj Singh Rawat
Date: 2024.10.23 16:43:58 +05'30'

Signature.....
Designation

--:Terms and Conditions--:

1. The occupier shall comply with the provisions of Bio-Medical Waste Management Rules, 2016 as amended to date.
2. The occupier shall comply with the standards prescribed in Schedule-II of Bio-Medical Waste Management Rules, 2016 as amended to date for discharge of the Waste Water/ Effluent generated or treated.
3. The authorization or its renewal shall be produced for inspection at the request of any officer authorized by DPCC.
4. This is the duty of the authorized person to take prior permission of the prescribed authority i.e Delhi Pollution Control Committee to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
5. It shall be ensured that the Bio-Medical Waste is finally treated within a period of 48 hours. If for any reason it becomes unavoidable, intimation should be given in writing to DPCC and measures are to be ensured so that the waste does not adversely affect human health and the environment.
6. The occupier shall ensure that bio-medical waste is not mixed with other wastes and is segregated into containers / bags at the point of generation in accordance with Schedule-I (part I).

- 39/1
- The occupier shall have a valid agreement with the operator of a facility authorized by DPCC for collection, transportation, treatment & disposal of the bio-medical waste.
8. The Occupier shall hand over the bio-medical waste timely to the authorized operator of a facility duly segregated, labelled, tagged and kept in proper containers for the collection, transportation, treatment & disposal as per Rules.
9. The occupier shall inform the prescribed authority immediately in case the operator of facility does not collect the bio medical waste within the intended time or as per the agreed time.
10. The occupier shall maintain records of the Bio-Medical Waste generated and disposed of/ handed over to the authorized operator of a facility (CBWTF). The record shall be made available, for inspection & verification, to any officer authorized by DPCC. The records shall be maintained for the period of 5 years in accordance with these rules and guidelines issued by Central Government or the Central Pollution Control Board or the prescribed authority as the case may be.
11. The Occupier shall also ensure proper collection and disposal of bio-medical waste containing mercury through the vendor authorize for the purpose. The occupier shall phase out mercury based equipment e.g. thermometers and B.P. Measuring Equipment.
12. In case of any major accident involving Bio-Medical Waste, the occupier shall report the accident in Form-I, prescribed under the Rules, to DPCC.
13. The Occupier shall pre-treat the laboratory waste, microbiological waste, blood samples and blood bags through disinfection or sterilization on-site in the manner as prescribed by the World Health Organization (WHO) or National AIDS Control Organization (NACO) guidelines and then sent to the common bio-medical waste treatment facility for final disposal.
14. The Occupier is required to display the authorization at a prominent place in its premises for view of general public.
15. The Occupier shall use only non-chlorinated plastic bags & gloves as per Notification dated 16th March, 2018 published by MOEF&CC.
16. The Occupier shall establish a Bar-Code System for bags or containers containing bio-medical waste to be sent out of the premises for the further treatment & disposal in accordance with the guidelines issued by CPCB.
17. The Occupier shall ensure segregation of liquid chemical waste at source and ensure pre-treatment or neutralization prior to mixing with other generated effluent from HCF, if any.
18. The Occupier shall immunise all its health care workers and others, involved in handling of bio-medical waste for protection against diseases including Hepatitis-B & Tetanus that are likely to be transmitted by handling of bio-medical waste, in the manner as prescribed in the National Immunization Policy or the guidelines of the Ministry of Health & Family Welfare issued from time to time.
19. The Occupier shall ensure occupational safety of all its health care workers & others involved in handling of bio-medical waste by providing appropriate & adequate personal protective equipment.
20. The Occupier shall conduct health check-up at the time of induction & at least once in a year for all its health care workers others involved in handling of bio-medical waste & shall maintain records for the same.
21. The Occupier shall develop its own website by 15th March, 2020 and shall make available the annual report on its website.
22. The Occupier shall provide training to all its health care workers and others, involved in handling of bio-medical waste at the time of induction & thereafter at regular intervals & the details of training programmes conducted, number of personnel trained & number of personnel not undergone any training shall be provided in the Annual Report.
23. The Occupier shall submit the Annual Report in Form-IV by 30th June every year, including information about the categories and quantities of bio-medical waste generated from 1st January to 31st December of the preceding year.
24. The Occupier shall submit the copy of fresh valid agreement with CBWTF to this office within 15 days

Use the previous agreement of the Occupier is hereby notified of the same.
Dated 17.05.2020
Power Placed
MOF

DPCC for
ity duty
&
of previous agreement or in case of any change.

388/✓
In case the Occupier is having a Generator Set, he shall comply with the noise standards laid down vide Gazette Notification of Ministry of Environment, Forest & Climate Change (MoEF&CC), Government of India Dated 17.05.2002 and 12.07.2004, as amended to date, for the Diesel Generator Set(s) and shall also comply with the Emission Standards prescribed for Diesel Engines [(Engine rating more than 0.8 MW) for Power Plant, Generator Set applications and other requirements], if any, as per the Gazette Notification of MOEF, Dated 09.07.2002, as amended to date.
Stack Height for Generator Sets (Engine rating more than 0.8 MW) commissioned after 01.07.2003 shall be maximum of following:

- a. Minimum 6 meter above the building where generator set is installed
- b. 30 meter
- c. $14Q^{0.3}$ (Q- Total SO₂ emission from the plant in kg/hr) and for other DG Set(s) (upto 0.8 MW) stack height shall be as per the following formula, $H = h + 0.2(KVA)^{0.5}$ (H- Total Height of stack in meter, h = Height of the building in meters where the Generator Set is installed, KVA is capacity of Generator set in KVA).

26. The Occupier needs to comply with the directions of CAQM (Commission for Air Quality Management In National Capital Region and Adjoining Areas) issued from time to time regarding Generator Sets, Graded Response Action Plan (GRAP) & other necessary directions if applicable.

27. The Occupier shall comply with the provisions of Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016 as amended to date, Bio-medical Waste Management Rules, 2016 as amended to date, Plastic Waste Management Rules, 2016 as amended to date, Battery Waste Management Rules, 2022 as amended to date, Solid Waste Management Rules, 2016 as amended to date, Construction and Demolition Waste Management Rules, 2016 as amended to date, E-Waste (Management) Rules, 2022 as amended to date, the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989, as amended to date, wherever applicable. All such wastes generated from the unit will be managed and handled as per the provisions of the said Rules and will be disposed off only through the Recycler/ Preprocessors/ Authorised Agencies for such wastes, authorised by MoEF/ Central Pollution Control Board/ State Pollution Control Board/ Committee/ DPCC as per details available on their websites.

28. The Occupier shall comply the other prescribed standards of Effluent/ Emissions as prescribed and as applicable under the provisions of the Environment (Protection) Act, 1986, as amended to date and the various Rules made there under including the Noise Pollution (Regulation and Control) Rules, 2000 as amended to date.

29. Submission of false information shall make the authorization liable for cancellation without any notice.

30. The Occupier shall use only Piped Natural Gas (PNG) as fuel in boilers, if any.

31. In case of violation of any of above said conditions, penal action will be initiated against the Occupier including withdrawal of authorization/consent etc.

~~32.~~ In case of failure to comply with any of the above conditions and / or with any provision of the Act or of these Rules, authorization issued to the Occupier may be suspended or cancelled as per the provisions under sub-rule 10 (2) of Bio- Medical Waste Management Rules, 2016, as amended to date.

33. It will be the responsibility of the Occupier to obtain prior clearances/ approval and ensure compliances under all other relevant Acts/ Rules/ Regulations/ Guidelines/ Instructions/ Court Orders/ Tribunal Orders as applicable to this Health Care Facility (HCF).

34. Please note that the issuance of authorization shall not be construed in any manner whatsoever that you are legitimately operating your Health Care Establishment with respect to other statutory requirements viz- local land use, Master Plan of Delhi, etc.

35. The authorization is subject to the condition that you are operating as per the provision of Master Plan of Delhi, 2021.

- The Occupier shall ensure treatment and disposal of the entire effluent/liquid waste generated in accordance with the provisions under the Water (Prevention and Control of Pollution) Act, 1986. The Occupier shall also ensure that the effluent/liquid waste shall meet the standards prescribed by Delhi Pollution Control Committee. The Occupier shall also ensure the maximum re-use of the treated effluent for various purposes e.g. gardening, flushing, cooling, etc.
37. If the Occupier is having laundry facility and/or not connected to the public sewer, the Occupier is required to install requisite treatment system before its discharge to meet the standards as prescribed under BMW Rules, 2016.
38. Sludge from Effluent Treatment Plant shall be given to common bio-medical waste treatment facility for incineration or to hazardous waste treatment, storage and disposal facility for disposal.
39. The occupier shall apply for renewal of authorization under the aforementioned Rules before one month of the expiry of this authorization.
40. The occupier shall apply for fresh Authorization in case of any change/ alteration in the activity/number of beds etc.
41. Environmental Compensation imposed (if any) shall be dealt separately.
42. This Authorization is granted with the condition that the HCF shall submit the Noise Monitoring Report (NMR) of Generator Sets within 60 days from the date of issue of this authorization.
43. The Authorization is being issued as per the decision taken by the BMW Committee No. 1 in its meeting held on 11.06.2024.

D P C C

To,

SANJAY GANDHI MEMORIAL HOSPITAL

S-Block, Mangolpuri

110083



DELHI POLLUTION CONTROL COMMITTEE

(Government of N.C.T. of Delhi) 4th & 5th Floor, ISBT Building
Kashmere Gate, Delhi 110006
(Visit us at <https://www.dpccomms.nic.in>)



Lifestyle for Environment

CONSENT ORDER

Certificate No. :G-44550

Name of the unit : SANJAY GANDHI MEMORIAL HOSPITAL
Address : S-Block, Mangolpuri, Health Care Facility, Delhi - 110083
Area : Non Industrial
Area Name : Health Care Facility
Consent Order No : DPCC/CMC/2024/9779464
Date of issue : 23/10/2024
Product Name : [BMW]
Product Capacity : 145 Kg/Day
Fuel Type : Light Diesel Oil | C:0 | Q:834
Control Equipment : Other
ETP Details : D.Capacity: NO | Type: Oil & Grease Trap
Stack Details : 9779523 | AT: Boiler | H:30
Activity Name : Health Care Establishments having bed strength above 50 beds and connected or not connected to Sewer and with boiler (300 Bedded HCF)
Category : [RED]
Generator Set(s) : 625

This Consent to Operate is hereby granted under section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 under RED Category. This consent is subjected to terms and conditions specified overleaf. This is being issued with reference to your application id 9779464 valid from 11/07/2023 to 10/07/2028.

Meghraj
Singh Rawat

Senior Environmental Engineer

Digitally signed by
Meghraj Singh Rawat
Date: 2024.10.23
16:31:33 +05'30'

Terms and Conditions

1. The Consentee shall meet the effluent standards i.e. pH = 6.5 – 9.0, Suspended Solids = 100 mg/l, Oil and Grease = 10 mg/l, Bio-chemical Oxygen Demand (BOD) = 30 mg/l, Chemical Oxygen Demand (COD) = 250 mg/l, Bio-assay Test (Percentage survival of fish after 96 hours in 100% effluent) = 90-100 %.
2. The Consent is activity specific and based on the information provided in the consent application along with the subsequent documents/ information submitted to Delhi Pollution Control Committee (DPCC). The Consentee shall apply for fresh consent in case of any change in the activity/ manufacturing process.
3. The Consentee shall display the Name of the unit along with its Address, name of the Proprietor /Director/ Partners etc., Contact Phone No(s) and its Activities/ Processes/ Products on a Display Board to be placed / fixed at the main gate of the unit.
4. The Consentee/ unit shall have/ take separate Electricity/ Power connection in its name and shall have/ install separate meter in this regard.
5. The Consentee shall provide and maintain a separate drainage system for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system and shall be connected to the conveyance system/ sewerage system of the area leading to the Common Effluent Treatment Plant of the Industrial Area/ Sewage Treatment Plant of the catchment area.
6. The Consentee shall obtain permission from Delhi Jal Board for ground water extraction, if any, as per the various orders/ Notification of Govt. of NCT of Delhi. The Consentee shall not extract the groundwater without obtaining prior permission in this regard from DJB/ CGWA. The Consentee shall ensure that there is no bore well in the premises and if exist, the same shall be closed/ sealed with immediate effect till permission received from DJB/ CGWA.
7. The Consentee shall ensure proper channelization/ control system for fugitive emissions generated from the various activities/ processes of the unit and maintain good housekeeping practices so as to maintain a clean & safe environment in and around the premises of the unit.
8. The Consentee shall comply with the noise standards laid down vide Gazette Notification of Ministry of Environment and Forest (MoEF), Government of India Dated 17.05.2002 & 12.07.2004, as amended to date, for the Diesel Generator Set(s) and shall also comply with the Emission Standards prescribed for Diesel Engines [(Engine rating more than 0.8 MW) for Power Plant, Generator Set applications and other requirements], if any, as per the Gazette Notification of MoEF, Dated 09.07.2002, as amended to date. Stack Height for sets (Engine rating more than 0.8 MW) commissioned after 01.07.2003 shall be maximum of following:
 - a). Minimum 6 metre above the building where generator set is installed
 - b). 30 metre
 - c). $14Q^{0.3}$ (Q- Total SO₂ emission from the plant in kg/hr) and for other DG Set(s) (upto 0.8 MW) stack height shall be as per the following formula, $H = h + 0.2(KVA)^{0.5}$ (H- Total Height of stack in metre, h = Height of the building in metres where the Generator Set is installed, KVA - Total Generator capacity of the set in KVA).
9. The Consentee needs to comply with the directions of CAQM (Commission for Air Quality Management In National Capital Region and Adjoining Areas) issued from time to time regarding Generator Sets, Graded Response Action Plan (GRAP) & other necessary directions if applicable.

10. The Consentee shall comply with the provisions of Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016 as amended to date, Bio-medical Waste Management Rules, 2016 as amended to date, Plastic Waste Management Rules, 2016 as amended to date, Battery Waste Management Rules, 2022 as amended to date, Solid Waste Management Rules, 2016 as amended to date, Construction and Demolition Waste Management Rules, 2016 as amended to date, E-Waste (Management) Rules, 2022 as amended to date, the Manufacture, Storage and Import of Hazardous Chemicals Rules, 1989, as amended to date, wherever applicable. All such wastes generated from the unit will be managed and handled as per the provisions of the said Rules and will be disposed off only through the Recycler/ Preprocessors/ Authorised Agencies for such wastes, authorised by MoEF/ Central Pollution Control Board/ State Pollution Control Board/ Committee/ DPCC as per details available on their websites.
11. The Consentee shall comply the other prescribed standards of Effluent/ Emissions as prescribed and as applicable under the provisions of the Environment (Protection) Act, 1986, as amended to date and the various Rules made there under including the Noise Pollution (Regulation and Control) Rules, 2000 as amended to date.
12. The Consentee shall promote the use of LED and recovery of mercury from CFL Lamps and should create a system of replacing old bulbs for new to enable recovery of mercury after the bulbs are fused.
13. Sludge from Effluent Treatment Plant shall be given to common bio-medical waste treatment facility for incineration or to hazardous waste treatment, storage and disposal facility for disposal.
14. The zero wastewater discharge condition to be achieved with installation of onsite Sewage Treatment Plant. Trade effluent shall conform to the norms and standards prescribed by Delhi Pollution Control Committee. The STP should be certified by an independent expert and a report in this regard should be submitted to Delhi Pollution Control Committee before the project is commissioned for operation. Necessary measures should be made to mitigate the odour problem from STP.
15. Quantity of Sewage/ trade effluent discharge from the unit shall not exceed Nil litre/day (100 % wastewater recycling and zero wastewater discharge).
16. The treated wastewater of STP shall be recycled and reused for horticulture/ landscaping/ cooling/ flushing purposes to reduce the demand of fresh water as committed.
17. The Project Proponent shall provide electromagnetic flow meter at the inlet and outlet of the water supply, inlet and outlet of the STP and any pipeline to be used for re-using the treated wastewater back into the system for cooling, flushing and for horticulture purpose/ green etc. and shall maintain a record of readings of each such meter on daily basis.
18. The quantity of fresh water usage and water recycling shall be measured and recorded to monitor the water balance as projected by the Project Proponent. The record shall be submitted to the Delhi Pollution Control Committee on six monthly basis.
19. The Consentee shall properly maintain the Acoustic Enclosure/ Acoustic Treated room for DG Set(s) in good condition and maintain the adequate stack height for DG Set(s) to meet the prescribed standards/ norms as mentioned above. The Consentee shall not operate the DG Set(s) till compliance of the prescribed norms/standards for DG Sets.
20. The Consentee shall comply with the applicable provisions/ Directions given vide Gazette Notification of Department of Environment, Govt. of NCT of Delhi, dated 23.10.2012 including the directions that no person shall manufacture, import, store, sell or transport any kind of plastic carry bags (including that of PolyPropylene, Non-woven fabric type carry bags) in the whole of National Capital Territory of Delhi if applicable.

1. The Consentee shall provide widespread Green Cover and the use of Fly Ash as per Fly Ash notification dated 14.09.1999 shall be mandatory.
22. Project Proponent will ensure use of Ozone Depletion Substances (ODS) free appliances so that no toxic gases in air conditioning/ refrigeration/ fire extinguishers are created.
23. It will be the responsibility of the Project Proponent to obtain prior clearances/ approval and ensure compliances under all other relevant Acts/ Rules/ Regulations/ Guidelines/ Instructions/ Court Orders/ Tribunal Orders as applicable to this Health Care Facility (HCF).
24. The Consentee shall not carry out any activity falling under the Prohibited/ Negative list of Industries (Annexure III of MPD -2021) which are prohibited in National Capital Territory of Delhi, as per Master Plan of Delhi.
25. The Consentee shall ensure the safeguards as envisaged in Environmental Clearance issued to Sanjay Gandhi Memorial Hospital and shall submit a half yearly compliance report in respect of terms and conditions of Environmental Clearance to Regional Office of MoEF&CC and simultaneously to DPCC on the prescribed date.
26. The Consentee shall switch over its fuel to PNG fuel (wherever the PNG fuel pipeline supplied by IGL) with immediate effect and submit the compliance report within 30 days of issuance of this consent order.
27. The Consentee shall submit an application for extension of the Consent to Establish/ Consent to Operate under Water and Air Acts & Authorization under BMW Rules, 2016 one month in advance of the expiry date of this Consent Order/ date of start of operation of the HCF.
28. This consent is being granted focusing only on the Water Act 1974/ Air Act 1981. The project will be regulated by the concerned local Civic Authorities under the provisions of the relevant provisions of the extant MPD-2021, Building Control Regulations and Safety Regulations. The investment made in the project, if any, based on Consent so granted, in anticipation of the clearance from other statutory authorities shall be entirely at the cost and risk of the project proponent, DPCC shall not be responsible in this regard in any manner.
29. In the event of any information furnished by the Consentee found to be false OR in case of failure to comply with any of the above mentioned consent conditions, consent granted through this Consent Order shall be deemed to be revoked without any notice and necessary action as per law shall be taken, which may include closure of the unit and prosecution for wrong declaration.
30. Notwithstanding anything contained in this Consent Order. Delhi Pollution Control Committee, reserves its right to review any/ or all the conditions imposed herein above and to make such variations as deemed fit for the purpose of enforcement of the Air (Prevention and Control of Pollution) Act, 1981, as amended to date and the Water (Prevention and Control of Pollution) Act, 1974, as amended to date.
31. The Consent granted to the Consentee is to ensure control of pollution from the premises of the unit in accordance with various Pollution Control Laws and in no way confers the right to the Consentee / unit to exist in violation of other laws and statutory provisions including the Master Plan of Delhi.
32. This Consent is granted with the condition that the HCF shall submit Wastewater Effluent Analysis Report of STP/ ETP, Noise Monitoring Report (NMR) of Generator Sets within 60 days from the date of issue of this consent.
33. The Consent to Operate is being issued as per the decision taken by the BMW Committee No. 1 in its meeting held on 11.06.2024.

Annexure B

Sr. No.	Period	Yellow Waste In kg	Red Waste In kg	White Waste In kg	Blue Waste In kg
1.	Jan-24	2257.517	2108.677	102.319	510.526
2.	Feb-24	1638.859	1824.485	094.200	498.967
3.	Mar-24	1603.605	1653.293	085.164	483.924
4.	Apr-24	1462.876	1550.228	067.436	389.478
5.	May-24	1574.462	1819.865	051.820	495.406
6.	Jun-24	1533.811	1676.940	083.595	458.641
7.	Jul-24	1871.049	1973.061	089.515	499.195
8.	Aug-24	2124.081	2291.199	078.525	456.319
9.	Sep-24	2108.050	2342.163	117.943	482.144
10.	Oct-24	1938.892	2062.989	072.124	265.708
11.	Nov-24	1863.052	2081.779	089.471	361.259
12.	Dec-24	1781.749	1975.025	077.909	277.524
13.	Total	21758.003	23359.704	1010.021	5179.091
14.	Average Per Month (1+13/12)	1813.167	1946.642	84.16842	431.5909

ANNEXURE C

...DIAL HOSPITAL
BRIDGE CLIDGE

2

03/01/24	4.100	K	Done
20/01/24	3.200	K	Done
04/02/24	3.700	K	Done
12/02/24	4.000	K	Done
05/03/24	4.100	K	Done
20/03/24	4.000	K	Done
04/04/24	4.200	K	Done
20/04/24	3.800	K	Done
07/05/24	4.000	K	Done
22/05/24	4.200	K	Done
06/06/24	4.500	K	Done
21/06/24	5.000	K	Done
06/07/24	4.100	(K)	Done
21/7/24	4.180	(K)	Done
05/8/24	3.800	(K)	Done
20/8/24	4.100	(K)	Done
04/9/24	3.700	(K)	Done
19/9/24	2.900	(K)	Done

2

Date
 Ring

STP

DATE

SLUDGE Wt.

04/10/24

4.00

W

Bores

19/10/24

3.800

W

Bores

01/11/24

4.300

W

Bores

15/11/24

3.900

W

Bores

01/12/24

4.400

W

Bores


17/12/24

4.100

W

Bores

21



GOVT. OF NCT OF DELHI
OFFICE OF THE MEDICAL SUPERINTENDENT
SANJAY GANDHI MEMORIAL HOSPITAL
MANGOL PURI, DELHI-110083

Bio Medical Waste Committee

S. No	Name of the Officers	Designation	Role
1	Dr. S. K. kaakraan	Medical Superintendent	Chairperson
2	HOD (Microbiology)	HOD (Microbiology)	Member Secretary & Nodal Officer
3	DMS (A)	DMS (A)	Member
4	DMS(B)	DMS(B)	Member
5	Quality nodal officer	Quality nodal officer	Member
6	HOD (Gynae)	HOD (Gynae)	Member
7	HOD (Radiology)	HOD (Radiology)	Member
8	HOD(Eye)	HOD(Eye)	Member
9	HOD(Pathology),MOI/c Blood Bank	HOD(Pathology),MOI/c Blood Bank	Member
10	HOD(Peeds)	HOD(Peeds)	Member
11	HOD (Ortho)	HOD (Ortho)	Member
12	HOD(ENT)	HOD(ENT)	Member
13	HOD(Anesthesia)	HOD(Anesthesia)	Member
14	HOD(Surgery)	HOD(Surgery)	Member
15	HOD (Medicine)	HOD (Medicine)	Member
16	HOD (Dental)	HOD (Dental)	Member
17	MOI/c laundry	MOI/c laundry	Member
18	MOI/c Sanitation/solid waste managment	MOI/c Sanitation/solid waste managment	Member
19	MOI/c kitchen	MOI/c kitchen	Member
20	Dr. Ashoo Gupta	Splt. (Gynae)	Member
21	Dr. Parmod Arya	Splt. (Anesthesia)	Member
22	HOD (ophtha)	HOD (ophtha)	Member



GOVT. OF NCT OF DELHI
OFFICE OF THE MEDICAL SUPERINTENDENT
SANJAY GANDHI MEMORIAL HOSPITAL
MANGOL PURI, DELHI-110083

23	HOD(skin)	HOD(Skin)	Member
24	Deputy nursing superintendent	DNS	Member
25	Mrs.Poonam Pawar	Nursing I/C BMW	Member
26	Autoclave operator	Autoclave operator	Member

Responsibility:

- To ensure compliance to latest and relevant legislation.
- To conduct audits and prepare comprehensive report of current waste generations, segregation, handling, storage and disposal practices.
- To implement ongoing waste management training programme this caters to all staff.
- To liaise with corporation authority and private waste contractors with regard to transport & disposal of waste external to the hospital

Frequency of meeting: Biannually/as and when required.

This is issued with the prior approval of competent authority.

Dr. Sumita Saha
Deputy Medical Superintendent (A)


F.32(5)/2018-19/SGMH/Quality Cell/ Committee Constitution

10363-10364

Date: 13/08/2024

Copy:

1. P. S. to MS
2. All Committee members.
3. Guard file


Dr. Sumita Saha
Deputy Medical Superintendent (A)

SANJAY GANDHI MEMORIAL HOSPITAL
GOVERNMENT OF NCT OF DELHI
S-BLOCK MANGOL PURI DELHI - 110083

(3)

323/c

F.No.5/16/SGMH/HIC/CT/2017 13/06 - 13/13

Dated: 19/10/24

Minutes of Meeting

The Core Quality Committee, Hospital Infection Control Committee (HIC) and Bio Medical Waste Management (BMW) Committee, meeting was held at Sanjay Gandhi Memorial Hospital, Mangolpuri, Delhi under the Chairmanship of worthy Medical Superintendent SGM Hospital, Dr. S.K. Kaakraan at 2:30 PM in the conference hall at 4th floor, administrative building on 8th October 2024 as per the agenda given below. The list of participants present in the meeting is attached as Annexure-A

Agenda:

- Gap analysis of the internal assessment done in first quarter (april-june 2024) of all departments.
- Time bound action plan
- Infection control and BMW
- Any other matter with permission of chairperson.

Meeting Proceedings

The meeting started with welcome of the chairperson by quality nodal officer Dr. Trishla. A brief description of newly formed committee for filling up and implementation of NQAS checklist was given by Quality Nodal Officer. Agendas discussed are as follows:

Hospital infection control and Bio Medical Waste Management:

1. Few departments have not been using hub cutters to mutilate the syringes and needles before disposing it off. All the departments to ensure and emphasize the use of hub cutters in routine. (ACTION TAKEN: All departmental in-charges)
2. Needle Stick injury (NSI) Performa to be filled by respective department (where the injury happens) and informed to Nodal Officer (Dr. Sumit Vats). The signed performa to be sent to quality cell for records. Also, the signage with respect to new guidelines for post exposure prophylaxis to be finalised. (ACTION TAKEN: All departmental in-charges & PEP Nodal Officer)
3. It is reemphasized that cidex testing to be done on zero (0) day and 7th or 14th day of cidex preparation. Departments need not send swab from ⁱⁿanimate surfaces like door handles, registers, nursing table etc. as culture of these areas are not required. (ACTION TAKEN: All departmental in charges)
4. It came into light that some departments also send E.T. tubes or Foleys catheter tip for culture and sensitivity. It is unacceptable as per infection control protocol. Only secretions to be send to the lab for the same. (ACTION TAKEN: All departmental in-charges)
5. During rounds by quality team improper BMW segregation is found in the departments. All in-charges and health care workers to comply with BMW management rules 2016 & amended rules. (ACTION TAKEN: All HODs & Staff)

SANJAY GANDHI MEMORIAL HOSPITAL
GOVERNMENT OF NCT OF DELHI
S-BLOCK MANGOL PURI DELHI - 110083

- BMW authorisation certificate is still pending for the hospital and regular communication is being done for the same. An e-mail to be sent again as reminder. (ACTION TAKEN: BMW Nodal Officer)

Meeting ended with vote of thanks by Quality Nodal Officer.

This issues with prior approval of competent authority.

F.No.5/16/SGMH/HIC/CT/2017 - 13/06 - 13/13


Copy to:

1. PS to MS, SGMH
2. DMS (A,B,IT)
3. All HODs
4. All MOICs
5. Purchase officer
6. PWD (E) & PWD (C)
7. All store in charges
8. DNS
9. GUARD FILE

Trishla
Dr. Trishla
HICCO

19/10/24

Trishla
Dr. Trishla
HICCO



SANJAY GANDHI MEMORIAL HOSPITAL
GOVERNMENT OF NCT OF DELHI
S-BLOCK MANGOL PURI DELHI - 110083

319/6

F.No.5/16/SGMH/HIC/CT/2017 4985-4992

Dated: 03/05/2024


Minutes of Meeting

The Bio Medical Waste Management (BMW) & (HIC) Hospital Infection Control Committee meeting was held at Sanjay Gandhi Memorial Hospital, Mangolpuri, Delhi on 19/04/2024, under the Chairmanship of Dr. S.K. Kaakraan Medical Superintendent SGM Hospital, at 2:00 PM in the conference hall at 4th floor, administrative building of hospital as per the agenda given below. The list of participants present in the meeting is attached as Annexure-A

Meeting Proceedings

The meeting started with welcome of the chairperson by quality nodal officer Dr. Trishla. A brief description of newly formed core quality committee was given by Quality Nodal Officer. It was also decided that when new committees will be formed instead of mentioning names of officials only designation will be mentioned so that new committee are not reconstituted whenever the official get transferred/changed. It was further decided that there will be quality meeting quarterly. Following are the agendas discussed for all the above mentioned committee:

1. **NSI:** It was observed that nursing students posted in various departments were getting NSI frequently in the past. DNS to ensure that all the nursing students coming to the hospital for training should be well versed about BMW and infection control practices by their respective nursing tutor. Nursing tutors to submit attendance of nursing students about their training on BMW & infection control practices along with the topics covered by them. (ACTION TAKEN: DNS)
2. **BMW:** During BMW rounds by ICNs it was found that in some departments proper BMW segregation are not followed even after regular trainings (onsite & offsite). All in-charges to ensure that segregation is done in compliance with BMW rules 2016 & amended rules (ACTION TAKEN: All sister in-charges)
3. **Multi dose vial policy:** During rounds by ICN it is found that many departments are not following multi dose vial policy and not maintaining the records of multi dose vial in their registers. Quality Nodal Officer re-emphasize to practice this religiously. (ACTION TAKEN: All Sis In-charges)
4. **CSSD:** It was informed by Quality Nodal Officer to the chairperson & the committee that CSSD is non-functional for quite some time and autoclave is working only in emergency O.T. resulting in overload of the work. The chairperson told M.OI/c CSSD to find a new place for CSSD as per requirement of CSSD functionary. (ACTION TAKEN: M.O.I/c CSSD)



SANJAY GANDHI MEMORIAL HOSPITAL
GOVERNMENT OF NCT OF DELHI
S-BLOCK MANGOL PURI DELHI - 110083

5. **Medical health check-up:** As per requirement of quality program, annual health check-up of all categories of staff to be done. As per the requirement of APAR, many officials have got their health check-up done which may be considered and to provide one copy of summary of health check-up to the Quality Cell (for Doctors) & DNS office (for nursing officers , senior nursing officers & other cadres of staff.)

(ACTION TAKEN: All staff, DNS, Quality Cell)

Meeting ended with vote of thanks by Quality Nodal Officer.

This issues with prior approval of competent authority.

Trishla

Dr. Trishla

BMW & HIC officer

F.No.5/16/SGMH/HIC/CT/2017 4985-4992

Dt:- 03/05/2024

Copy to:

1. PS to MS, SGMH
2. DMS (A,B,IT)
3. All HODs
4. All MOICs
5. Purchase officer
6. PWD (E) & PWD (C)
7. All store in charges
8. DNS
9. GUARD FILE

Trishla

Dr. Trishla

BMW & HIC officer

Spencer; Dr. Trickle
Venue: R. No 10.

Training "Sub-Rings"

Sub: Biomedical Waste Management and Infection Control Practices

13/12/23

Time: 2 hr

5

ANNEXURE F

GOVERNMENT OF NCT OF DELHI,
SANJAY GANDHI MEMORIAL HOSPITAL,
S-BLOCK, MANGOLPURI, DELHI - 110083

Venue:- R.No 10
Speaker:- Dr. Trichla

(Sub: Induction and Refresher)
Training on Biomedical Waste Management and Infection Control Practices

Date: 1/2/24

Time: 2hr

S.No.	Name of the Officer/Official	Designation	Department/& Hospital	Phone No.	Email ID	Signature
01	MD. Aftab Alam	JR	ICU	7319810024	mdaftab68397@gmail.com	
02	DR HARISH BHARDWAJ	SR	BLOOD BANK	9899750319	harishbhardwaj018@gmail.com	
03	Dr. Mohit Vats	SR	Paediatrics	9873400638	mohitvats@gmail.com	
04	Dr. Shubhe Singh	SR	Obstetrics & Gynecology	79033390664	subah66@gmail.com	
05	Dr. Ankit Raj	DNB	General Medicine	8505965979	ankitreg629@gmail.com	
06	Dr. Ravi Shankar	DNB Resident	Paediatrics	7739985303	ravishankar.209885@gmail.com	
07	LEMMYA ABIN	Nursing Officer	ICN	9854445369	analemya@gmail.com	
08	Pooja Sharma	Nursing Officer	ICN	9891948093		

ATTENDANCE SHEET

Date: 11/03/2024 Time: 2 pm

4 Rational Prescriptions.

S. No.	Name of the Officer/Official	Designation	Department/& Hospital	Phone No.	Email ID	Signature
18-	Dr. HeenaKshi	Senior Resident	Ophthalm (Eye)	9896703477	gmechaKshi347@gmail.com	HeenaKshi
19.	Dr. UMUL BANEEN KHAN JR	CASUALTY		7006379966	u02khan2014@gmail.com	Umul

GOVERNMENT OF NCT OF DELHI,
SANJAY GANDHI MEMORIAL HOSPITAL,
S-BLOCK, MANGOLPURI, DELHI - 110083

(Sub: BMH Management & Rational Prescriptions)
ATTENDANCE SHEET

Date: 11/03/2024

Time: 2.00pm

S.No.	Name of the Officer/Official	Designation	Department/Hospital	Phone No.	Email ID	Signature
1	Shubham Chavasia	JR	Pediatrics	9628908517	meshubham.chavasia@gmail.com	Shubham
2	Pratik Raj	JR	Pediatrics	6207299517	pratikraj@gmail.com	
3	Dr. Paras Kumar	JR	Casualty	9654054066	drparas.kumar@gmail.com	
4	Dr. Nidhi Hamroli Hazare	JR	Derma	8789782930	meshubham.chavasia@gmail.com	
5	Dr. Neeraj Yadav	JR	OBG & Gynae	8005612182	neeraj.yadav@gmail.com	
6	Dr. Khushi Meena	JR	OBG	7827051425	Khushi.m.4382@gmail.com	
7	Dr. Anjali Meena	JR	General Medicine	8501871592	dashrathma21@gmail.com	
8	Dr. Anit Kumar	JR	Casualty	8278619682	anujali.meena@gmail.com	Anjali
9	Dr. Vishal Bhardwaj	JR	Casualty	7988244521	ajit.nawat121@gmail.com	Ajit
10	Dr. Deepthi Kedar	JR	Derma	9996798918	vishal.bhardwaj682@gmail.com	
11	Dr. Shashy Bhardwaj	JR	Casualty	8813858268	shashy253@gmail.com	Shashy
12	Dr. Sachin Kumar	JR	Pediatrics	7678254116	Sachin.kumar2323@gmail.com	Sachin
13	Dr. Sai Deep	SR	MEDICINE	9518879515	phogad.jaiswal20@gmail.com	Phogad
14	Dr. Ayush Tethan	SR	MEDICINE	9999428413	ayush.tethan73@gmail.com	Ayush
15	Dr. Nitesh Kumar	JR	Casualty	9205068970	nitesh.ku90@gmail.com	Nitesh
16	Dr. Bhupender Singh Mann	SR	obs & Gynae	8896597095	AGHUMANN27@gmail.com	Agnumann

Speaker: - Mr. Pooja
Venue: - R.No 10

GOVERNMENT OF NCT OF DELHI,
SANJAY GANDHI MEMORIAL HOSPITAL,
S-BLOCK, MANGOLPURI, DELHI - 110083

Speaker Sir
Dr. Sumit Vats

(Sub: BMW and Related
Prevention Audit)

ATTENDANCE SHEET

Date: 4/4/24 Time: 2 pm

S. No.	Name of the Officer/Official	Designation	Department & Hospital	Phone No.	Email ID	Signature
1.	Dr. Aash Guleri	SR	Dept. of Anaesthesia	9873862083	aashguleri@gmail.com	Off
2.	Dr. Sonam Chaudhary	SR	Dept. of Casualty	8057460007	drsonamchaudhary@gmail.com	Off
3.	Dr. KAILASH	SR	Dept. of Casualty	9998854167	judaykash722@gmail.co	Off
4.	Dr. ADITIA SARMHA	SR	Dept. of Casualty	9453662370	aditwaddy1491@gmail.com	Off
5.	Dr. SHEHBAZ SINGH SIDHU	SR	ORTHOPAEDICS	9671110017	SIDHUSHEHBAZ94@gmail.com	Off
6.	Dr. KANWARPREET KAUR CHEEMA	SR	PATHOLOGY	9996533767	KANWARCHEEMA7@gmail.com	Off
7.	Dr. PUNAM KUMARI	SR	SKIN	7903828818	pnw227257@gmail.com	Off
8.	Nagobhar Somrani	Neg. office	NICU	8510023799	JK97887@gmail.com	Off
9.	Nigolur Kamlen	Neg. office	NICU	9996533767	be-mishra17@gmail.com	Off
10.	Neg. office Pratikha	Neg. office	NICU	9599476818	Kumarsachab68@gmail.com	Off
11.	Dr. Luxmi	SR	Dermatology	7827899630	luxmiandluc@gmail.com	Off
12.	Dr. Nisha	SR	Dental	9728505582	Nishababineel169@gmail.com	Off
13.	Dr. Abharsh	JR	Casualty	7306274384	Jithinroo.Palad@gmail.com	Off
14.	Dr. Ovais MEHBOOB	SR	Orthopaedics	9411047419	ovais.mehboob41@gmail.com	Off
15.	Dr. Sachin P.A	SR	Orthopaedics	8050875407	spajss@gmail.com	Off
16.	Dr. YASDEV P.	SR	Orthopaedics	7292088187	Yashdev77@gmail.com	Off

GOVERNMENT OF NCT OF DELHI,
SANJAY GANDHI MEMORIAL HOSPITAL,
S-BLOCK, MANGOLPURI, DELHI - 110083

(Sub: (BMD) Bio Medical Waste Management & Hospital Infection Control)
ATTENDANCE SHEET

Venue:- R- No-10
Speaker:- Kamana Sharma

S. No.	Name of the Member/Officer	Designation	Department/ & Hospital	Phone No.	Email ID	Signature
1.	Dr. Shubham.	DNB Medicine	SGMH (Medicine)	8168151497		
2.	Dr. Annu Nasser	SR Dental	SGMH (Dental)	8130920700		Shubham
3.	Dr. Zayed Ali	SR Pathology	SGMH (Peds)	8218252922		Zayed
4.	Dr. Ankit Mohapatra	SR Ortho	SGMH (Ortho)	9658956692		Ankit
5.	Dr. Prashant NEHA	JR. SURGERY	SGMH (Gen. Surgery)	9999893909		Prashant
6.	DR. NARENDER KUMAR	SR Paeds	SGMH (Paeds)	9899048827		Narender
7.	Dr. Sunil Kumar Singh	SR (Paeds)	SGMH (Paeds)	8131835275		Sunil
8.	Dr. Ashwini Gander Raut	SR ENT	SGMH (ENT)	9623372567		Ashwini
9.	Dr. Shreya Patel	JR ENT	SGMH (ENT)	9559916651		Shreya
10.	DR. ANJUPILANIA	SR OPHTHA	SGMH (OPHTHALMOLOGY)	8800673020		Anju
11.	MR. S. MANI SHA BHALLA	PHARMACY	PHARMACY	9958889999		Mani
12.	Mr. Ashok Jais	Pharmacy Officer	Pharmacy Officer	9215962274		Ashok

11/06/24

GOVERNMENT OF NCT OF DELHI,
SANJAY GANDHI MEMORIAL HOSPITAL,
S-BLOCK, MANGOLPURI, DELHI - 110083

Version: Form No. 1

ATTENDANCE SHEET

(Sub: BHMO INDUCTION Training & Rational Prescription) Date: 14/6/24 Time: 12:30pm

S. No.	Name of official	Department	Phone No.	Email ID	Signature
32	Dr. Rahul. Khateri	Surgery (JR)	9414666127	RahulKhateri9680475650@gmail.com	Rahul
33	Dr. Tyoti	Dermatology	8076458394	dr.tyotivijay@gmail.com	Tyoti
34	Dr. Sweta Kumari	Gynaec. and obs (Certificate-Diploma part 3)	8017355070	sweta.chivze@gmail.com	Sweta
35	Dr. Alok S. Patel.	Anaesthesia	8707235107	dr.alok.singh.2204@gmail.com	A Patel.
36	Dr. Kirti Purbani	Obs Gynak	9650307015	dr.kirtigynae@gmail.com	Kirti
37	Dr. Kirti Tapasini	OBGYN (JR)	8929436159	kirtitapasinigynae@gmail.com	Kirti
38	Dr. Sarbhi	Medicine (JR)	8826643157	Sarbhi.sarwan007@gmail.com	Sarbhi

GOVERNMENT OF NCT OF DELHI,
SANJAY GANDHI MEMORIAL HOSPITAL,
S-BLOCK, MANGOLPURI, DELHI - 110083

Venue: Room No. 10

ATTENDANCE SHEET

(Sub: BMO INDUCTION TRAINING 4
Rational Reception.

Date: 14/6/2024 Time: 12:30pm

S. No.	Name of official	Department	Phone No.	Email ID	Signature
(16)	N. PRIYAMADHURI	JR: Gynaecology	8096014981	Priyamadhuri177@gmail.com	Diksha
(17)	Dr. KAJAL	JR: Gynaecology	93197465601	Kyadav2798@gmail.com	Kajal
(18)	Dr. DEEPA LI	JR: CASUALTY	9511935506	deepali11@gmail.com	Deepa
(19)	Dr. Nigam Choudhary	JR: CASUALTY	9588792403		Nigam
(20)	Dr. Nigam Choudhary	JR: CASUALTY	95114-81304	drnigamchoudhary@gmail.com	Nigam
(21)	Dr. SATUL	JR: CASUALTY	8813095007	satul034@gmail.com	Satul
(22)	Dr. Rohit	JR: CASUALTY	8930138843	rohit893036@gmail.com	Rohit
24	Dr. Intekhab	JR: OBGYN	8340101057	mfintekhab655@gmail.com	Intekhab
25	Dr. Aetia	JR: OBGYN	9350242894	setumou1999@gmail.com	Aetia
26	Dr. BHUPENDRA SWAMI	JR: CASUALTY	9636887419	bhupendra.30519@gmail.com	Bhup
27	Dr. GAURANG SAINI	JR: CASUALTY	7355153953	gaurang92saini@gmail.com	Gaurang Saini
28	Dr. SHAMKEY SHARMA	JR: MEDICINE	9205957334	kapi/shamkey/61990@gmail.com	Shamkey
29	Dr. Ramesh Chandra	JR: CASUALTY	8700715810	Rameshchandra9911@gmail.com	Ramesh
30	Dr. Mahesh	JR: MED	7011001731	Maheshchandra990@gmail.com	Mahesh
31.	Dr. ASWATHY SARDASHTH	JR	7356999525	draswathy92@gmail.com	Aswathy

Room No. 10

GOVERNMENT OF NCT OF DELHI,
SANJAY GANDHI MEMORIAL HOSPITAL,
S-BLOCK, MANGOLPURI, DELHI - 110083

Venue - Room No. 10
Speakers :- Dr. Sanjay Ashin

ATTENDANCE SHEET

(Sub: BMW INDUCTION TRAINING & Rational Prescription)

Date: 14/6/2024 Time: 12:30pm

S.No.	Name of official	Department	Phone No.	Email ID	Signature
1	DR. SANTOSH KUMAR MISHRA	MEDICINE.	8800314692	nishankumar@gmail.com	88
2.	Dr. Nikhil Bansal	JR ortho	9650187893	nikhilbansal609@gmail.com	88
3.	Dr. NEERAJ	JR Medicine	8376039993	neerajkushik189@gmail.com	88
4.	Dr. Shaheen Mustafiz	JR Casualty	9747510030	Musthu6633@gmail.com	88
5.	Dr. KAMALJEET.	JR Casualty	8572020815	Lotus6697@gmail.com	Kamaljeet
6.	Dr. Sagar Deshwal	JR medicine	7838617714	deshwal.sagar1998@gmail.com	Sagar
7.	Dr. Hesta mukherjee	JR Surgery	9352346525	mpinkoyadav@gmail.com	Hesta
8.	Dr. vandana yadav	JR ortho.	9376582870	vandana.yadav.2023@gmail.com	88
9.	Dr. Naveen	JR Surgery	7015873683	kansalnaveen01@gmail.com	Naveen
10.	DR. AJAY SHARMA.	SR ORTHOPAEDICS	8909090441	ajay.070991@gmail.com	Hilaryna.
11.	Dr. THAKUR JADEEP SINGH	SR ORTHOPAEDICS	8839126200	Jai_thakur01@gmail.com	88
12.	Dr. Gaurav Garg	SR ORTHOPAEDICS	9999798981	gauravgarg9999@gmail.com	88
13.	Dr. Ansh Kundu	JR ortho	8930474734	anshikundu0136@gmail.com	88
14.	Dr. Pushpendra	JR ortho	9813121297	pkjalandoo@gmail.com	Pushpendra
15.	Dr. Yashvi	JR Paeds	9306357704	yashviyadav.yashviyadav@gmail.com	Yashvi

Volume:- 2- No 10
Species:- Pigea Sharma

Date: 5/7/24 Time: 2 pm

Source: R. M. Baker - Dr. Subramaniam
2.2.20

Name :- R. No. 11
 Speaker :- Dr. Subram
 Negativen-berung

(Sub: BMW) M.S.T.

Rational prescription.

Date: 07/08/24 Time: 2:26 pm.

[illegible]

Speaker - Sir Pooja
Venue :- R. No - 10

Venue :- R. No - 10

ipin Date: 27/9/24 Time: 2pm

ATTENDANCE SHEET

(Sub): BMW

Management

new short

Prescription

Date:

27/9/24

Time: 2pm

[illegible]

GOVERNMENT OF NCT OF DELHI,
SANJAY GANDHI MEMORIAL HOSPITAL,
S-BLOCK, MANGOLPURI, DELHI - 110083

Speaker - *Dr. Anil Kumar*
Venue :- R-NO-10

(Sub: *B.M.U. class attendance*)
ATTENDANCE SHEET

S. No.	Name of the Member/Officer	Designation	Department/ & Hospital	Phone No.	Email ID	Signature
1	<i>Imroon Khan</i>	JR	Orthopedics	95883149	<i>imroonkhan7923@gmail.com</i>	<i>Imroon</i>
2	<i>ALIF HUSSAIN</i>	JR	Orthopedics	9582240	<i>husain.951188@gmail.com</i>	<i>Alif</i>
3	<i>DR. SAHIN DAGAR</i>	JR	Orthopedics	980081848	<i>sahindagar1852@gmail.com</i>	<i>Sahin</i>
4	<i>DR. MANOJ KUMAR</i>	JR	Orthopedics	9680242024	<i>manojb1514018003@gmail.com</i>	<i>Manoj</i>
5	<i>Dr. Payal</i>	JR	Paediatric	735480198	<i>payal01219@gmail.com</i>	<i>Payal</i>
6	<i>Dr. Kajal Khosla</i>	JR	Obgyn	895016895	<i>KajalK9963@quikcoo kaji</i>	<i>Kajal</i>
7	<i>Dr. Poonam</i>	JR	Obgyn	9667016179	<i>poonamys61@gmail.com</i>	<i>Poonam</i>
8	<i>Dr. Rishi</i>	JR	Obgyn	8810462262	<i>rtugadia196@gmail.com</i>	<i>Rishi</i>
9	<i>Dr. Prabhakar</i>	JR	Obgyn	84410101737	<i>prabhakarprabhakar@gmail.com</i>	<i>Prabhakar</i>
10	<i>Dr. ANURAG</i>	JR	Anaesthesia	8920800688	<i>anurag_hu@gmail.com</i>	<i>Anurag</i>
11	<i>Dr. Jatin</i>	JR	ENT	88268822028	<i>vermapatin2016@gmail.com</i>	<i>Jatin</i>
12	<i>Dr. Krunal</i>	JR	Medicine	9709949578	<i>krunalwani@gmail.com</i>	<i>Krunal</i>
13	<i>Dr. Manima</i>	JR	Pediatrics	7838480463	<i>chokan.mahipat@gmail.com</i>	<i>Manima</i>
14	<i>Dr. ADITYA MALIK</i>	JR	Casualty	9819288255	<i>adimalik78@gmail.com</i>	<i>Aditya</i>
15	<i>Dr. Abhishek Lodhla</i>	JR	Casualty	9997124034	<i>abhishek7124@gmail.com</i>	<i>Abhishek</i>
16	<i>Dr. Manisha Khandelwal</i>	JR	Medicine	8800624622	<i>drmanishakhandelwal27@gmail.com</i>	<i>Manisha</i>

GOVERNMENT OF NCT OF DELHI,
SANJAY GANDHI MEMORIAL HOSPITAL,
S-BLOCK, MANGOLPURI, DELHI - 110083

ATTENDANCE SHEET

(Sub: B.M.W. Induction Class + Rational Prescription)

Date: 27/9/24 Time: 2-PM

S. No.	Name of the Member/Officer	Designation	Department / & Hospital	Phone No.	Email ID	Signature.
(1)	Dr. Javbrat Rai	JR	Surgery	7983362086	drjav61280@gmail.com	<i>[Signature]</i>
(2)	Dr. Abhishek Choudhary	JR	Surgery	8094930093	Abhishek.Choudhary05h@gmail.com	<i>[Signature]</i>
(3)	Dr. YOGENDER SHARMA	JR	Surgery	9775553591	409pnderisoh1234@gmail.com	<i>[Signature]</i>
(4)	Dr. Ranjeet Ruedou	JR	medicine	8824864610	RanjeetChoudhary02@gmail.com	<i>[Signature]</i>
(5)	Dr. RISHABH BENTWAL	JR	SURGERY	9950080290	RISHABHBENTWAL0029@gmail.com	<i>[Signature]</i>
(6)	Dr. KUSHKAL KUNDRA	JR	Casualty	9105813755	pustkalKundran@gmail.com	<i>[Signature]</i>
(7)	Dr. C. C. C.	JR	medicine	86849400	cherry88a@gmail.com	<i>[Signature]</i>
(8)	Dr. Mohammed Haidar Ali	JR	Casualty	9649277453	ali87958787@gmail.com	<i>[Signature]</i>
(9)	Dr. Athumi Sharma	JR	medicine	774022605	Athumi.Sharma770@gmail.com	<i>[Signature]</i>
(10)	Dr. Yashu	JR	ORGY	9650608860	YashuK98711@gmail.com	<i>[Signature]</i>
(11)	Dr. Minhajul Hossain	JR	Casualty	8174164893	minhajulhossain@gmail.com	<i>[Signature]</i>
(12)	Dr. Shubham Sharma	JR	Casualty	8219498977	vishistshubham@gmail.com	<i>[Signature]</i>
(13)	Dr. Kshitik Mehrotra	JR	ICU	9149254084	kshitik.mehrotra@gmail.com	<i>[Signature]</i>
(14)	Dr. SAURABH SINGH	JR	ORGY	93101978839	SAURABH1972@gmail.com	<i>[Signature]</i>
(15)	Dr. Vishal	JR	ORGY	8288899703	nishabkhopal23@gmail.com	<i>[Signature]</i>
(16)	Dr. Nandish Singh	JR	Casualty	8920447504	NandishSingh96@gmail.com	<i>[Signature]</i>

GOVERNMENT OF NCT OF DELHI,
SANJAY GANDHI MEMORIAL HOSPITAL,
S-BLOCK, MANGOLPURI, DELHI - 110083

ATTENDANCE SHEET

(Sub:BMW Date: 16/10/24 Time: 2pm)
& Personal Prescription of drugs

Venue - Room No. 10
Jgm. OPD
Speaker :- Damage Abin

S. No.	Name of the Member/Officer	Designation	Department/ & Hospital	Phone No.	Email ID	Signature
1.	ANUPAM KUMAR	JD	Casualty	9312307794	ak.55552@gmail.com	[Signature]
2.	HIMANSHI KUMARI	JR	OBG	9360866040	HIMANSHI KUMARI 1109@gmail.com	[Signature]
3.	HEMANT KUMAR	JR	TB CHEST	7976969224	hemantm20907@gmail.com	[Signature]
4.	PRATEEK VARSHNEY	JR	CASUALTY	9582508006	prateek 919@gmail.com	[Signature]
5.	TRISHA GUPTA	JR	EYE	8700277992	guptatrishah19@gmail.com	[Signature]
6.	KIRTI (SHEORAN)	JR	OBGYN	8901411248	Kirti'sheoran 906@gmail.com	[Signature]
7.	N UMESH	JR	Casualty	9599727488	numesh425@gmail.com	[Signature]
8.	ASHOK SARAN	JR	Casualty	7339786464	Vinodirputin07@gmail.com	[Signature]
9.	Vedant Agrawal	SR	OBG	9336133912	Vedant agrawal@gmail.com	[Signature]
10.	Intingga Pradhan	SL	Obst & Gynaec	840007302	drintingga1671@gmail.com	[Signature]
11.						
12.						
13.						
14.						
15.						
16.						

Room No. 10

Speakers :- Mr. K. N. D.

(Sub: Biomedical Waste)
laboral prescription

Date: 20/11/24 Time: 2 pm

[illegible]

RATIONAL PRESCRIPTION, INFECTION CONTROL, ATTENDANCE SHEET

Speaker :- Mr. Kanara Sharma
Venue :- E.No - 10

S. No.	Name of official	Department	Phone No.	Email ID	Signature
1.	Shankey Sharma	casualty	9205957334	shankeysharma9477@gmail.com	Shankey
2.	Dr. Jasmeet Singh	DERMATOLOGY	8860641668	viridjagameet@gmail.com	Viridjagameet
3.	Dr. Sumiti Shokeen	Pediatrics	9810429197	Sumiti Shokeen02@gmail.com	Sumiti
4.	Dr. HARENDER VERMA	MEDICINE	9891246842	honey9v@gmail.com	Harender Verma
5.	Dr. Arinash Kumar	Surgery	7739971482	arisha1993@gmail.com	Arinash
6.	Dr. Manpreet Kaur	OBG	7087964453	Kaumanpreet01st@gmail.com	Manpreet
7.	Dr. Ritu Patel	OBG	9805061672	rituboken18@gmail.com	Ritu
8.	Dr. Gauri chandhury	Medicine	8875226475	choudhury.gauri@gmail.com	Gauri
9.	Dr. Mani Spanki	Medicine	8800980037	ManiSpanki001@gmail.com	Mani
10.	Dr. Aarya Krishnan	Medicine	01748281455	aryakrishnanpillai@gmail.com	Aarya
11.	Dr. TEJAL	GYNAGE	8810241447	tejalsh46@gmail.com	Tejal
12.	Dr. RAKSHIKA HARITASH	MEDICINE	8447769239	sharmarakhika9@gmail.com	Rakhi
13.	Dr. Manoj Kumar	Medicine	9538074153	meem57@hotmail.com	Manoj
14.	Dr. MANOJ KUMAR	Medicine	9911685127	manojkumar@gmail.com	Manoj

GOVERNMENT OF NCT OF DELHI,
SANJAY GANDHI MEMORIAL HOSPITAL,
S-BLOCK, MANGOLPURI, DELHI - 110083

ATTENDANCE SHEET

(Sub: Bio Medical Waste Management + Rational Prescription) Date: 3/1/25 Time: 2 Pm

S. No.	Name of official	Department	Phone No.	Email ID	Signature
1.	DR-SHANKY BANSAL	ORTHOPEDIC	975871927	Shanky253cool@gmail.com	Shanky mlf
2.	Dr. RUPALI KALIA	PEDIATRIC	8626805851	kalicorpali789@gmail.com	kalicorpali
3.	Dr. NEHA RAIPUT	OBSTETRICS & Gynaecology	7889382529	neha.digvijay502@gmail.com	neha digvijay
4.	DR. ADITI SHARMA	DENTAL	9717101467	dr.aditish08@gmail.com	aditi
5.	DR. MANMEET KAUR	DENTAL	8171362995	manmeet kaor23@gmail.com	Manmeet
6.	DR. RAJKUMAR SAWALE	PAEDIATRICS	8374154121	rahul sawale 0 @ gmail.com	Raj kumar
7.	DR - VINAY TEJA	PEDIATRICS	9325397595	domvinayteja@gmail.com	Dr. T
8.	DR. DIKSHA DUBEY	PAEDIATRICS	7807549331	dikshadubey@gmail.com	Diksha
9.	Dr. shruvi Nirmale	Obs - Gyne.	7588340744	shruvishere@gmail.com	Shruvi
10.	Dr. ANJUM KHAN	OBS - GYNE	8889203902	dranjum.khan10n@gmail.com	Anjum
11.	Dr. Kirati Tripathi	OBS - Gyne	8929476159	kiratitripathi79@gmail.com	Kirati
12.	Dr. Monika Bhardak	Pediatrics	9413671904	chmonikabardak@gmail.com	Monika
13.	DR GHAZALA ANIS FATIMA	ANAESTHESIA	8826088453.	ghazala.fatima08@gmail.com	Ghazala
14.	Dr. Jinita Kana	OBS - GYNTE	8860467808	jinita kana 6466 @ gmail.com	Jinita
15.	DR. AMIT KUMAR	Apparothera.	8447090277	amitniethe144@gmail.com	Amit



ARIHANT ANALYTICAL LABORATORY PVT. LTD.

(NABL Accredited Laboratory)

272, Phase-IV, Sec-57, HSIIDC, Kundli, Sonapat-131028 (Haryana)
Ph. : 7082301442, 9260014551 Email : aalkundli@gmail.com
Website : www.aalkundli.com



TEST REPORT

Page 1 of 1

Issued To:

M/s Vivek Associates
205, Chandra Complex, 2nd Floor,
Plot No.8, Veer Savarkar Block,
Shankarpur, Delhi - 110 092

Report No. AAL/WSR-2024/2239/03

Date of Receiving: 23/12/2024

Date of Starting: 23/12/2024

Date of Completion: 28/12/2024

Date of Reporting: 28/12/2024

Sample Quantity: 2 Litre

Sample Packing Condition: Plastic Bottle

Sample Collected By: AAL

Sample Description: STP Outlet Water

Sample Collection Date: 22/12/2024

Sampling Location: Sanjay Gandhi Hospital - Sultanpur

TEST RESULT

S. No.	Test Parameters	Unit	Results	Limits as per Environment (Protection) Rules, 1986 Schedule-VI General Standards for Discharge Public Sewers	Test Methods
1	pH Value	-	7.46	5.5 - 9.0	IS 3025(P-11)-2022
2	Total Dissolved Solids	mg/l	1398.0	-	IS 3025 (P-16)-2023
3	Total Suspended Solids	mg/l	162.0	600 Max.	IS 3025(P-17)-2022
4	Oil & Grease	mg/l	4.3	20 Max.	IS 3025(P-39)-2021
5	Biochemical Oxygen Demand (BOD - 5 days at 20°C)	mg/l	85.0	350 Max.	IS 3025(P-44)-2023
6	Chemical Oxygen Demand (COD)	mg/l	302.0	-	IS 3025(P-58)-2023
7	Ammonical Nitrogen (as N)	mg/l	13.6	50 Max.	IS 3025(P-34 Sec-1)-2023
8	Nitrate (as NO ₃)	mg/l	27.5	-	IS 3025(P-34 Sec-1)-2023

End of Report

ASHUTOSH SRIVASTAVA
Deputy Test
Authorised Signatory

- Note:** 1. The Result Indicated above refer to the tested sample and listed test parameters only endorsement of products is neither inferred not implied.
2. Total liability of our laboratory is limited to the invoice amount.
3. This report shall not be reproduced wholly or in part without written consent of the laboratory.
4. This report shall not be used in any advertising media or as evidence in the court of law without prior written consent of the laboratory.
5. The non-perishable sample received shall be destroyed after one month and perishable sample shall be destroyed after one week from the date of issue of report unless specified.